



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Product identity: CBDC-08 Social Caps Balance **Client/Metric ID:** .
Laboratory ID: 19-009791-0006 **Sample Date:** 08/15/19 13:00

Summary

Potency:

Analyte	Result	Limits	Units	LOQ	
CBD	6.67		%	0.03	CBD-Total per 0.71g 47.4 mg/0.71g
CBDV†	0.0139		%	0.00	
					THC-Total per 0.71g < LOQ
					(Reported in milligrams per serving)
Analyte per 0.71g	Result	Limits	Units	LOQ	
CBD per 0.71g	47.4		mg/0.71g	0.02	
CBDV per 0.71g†	0.0987		mg/0.71g	0.02	

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Microbiology:

Less than LOQ for all analytes.



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Customer: Sentia Wellness
3931 NE Columbia Blvd
Portland Oregon 97211
United States

Product identity: CBDC-08 Social Caps Balance

Client/Metric ID: .

Sample Date: 08/15/19 13:00

Laboratory ID: 19-009791-0006

Relinquished by: Ira Rubio

Temp: 26 °C

Serving Size #1: 0.71 g

Sample Results

Potency		Batch: 1907581					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC [†]	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
CBC-A [†]	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
CBC-Total [†]	< LOQ		%	0.0062	08/22/19	J AOAC 2015 V98-6	
CBD	6.67		%	0.0329	08/20/19	J AOAC 2015 V98-6	
CBD-A	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
CBD-Total	6.67		%	0.0358	08/22/19	J AOAC 2015 V98-6	
CBDV [†]	0.0139		%	0.0033	08/19/19	J AOAC 2015 V98-6	
CBDV-A [†]	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
CBDV-Total [†]	0.0139		%	0.0061	08/22/19	J AOAC 2015 V98-6	
CBG [†]	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
CBG-A [†]	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
CBG-Total [†]	< LOQ		%	0.0061	08/22/19	J AOAC 2015 V98-6	
CBL [†]	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
CBN	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
Δ8-THC [†]	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
Δ9-THC	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
THC-A	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
THC-Total	< LOQ		%	0.0062	08/22/19	J AOAC 2015 V98-6	
THCV [†]	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
THCV-A [†]	< LOQ		%	0.0033	08/19/19	J AOAC 2015 V98-6	
THCV-Total [†]	< LOQ		%	0.0061	08/22/19	J AOAC 2015 V98-6	

Potency per 0.71g		Batch: 1907581					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 0.71g [†]	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
CBC-A per 0.71g [†]	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
CBC-Total per 0.71g [†]	< LOQ		mg/0.71g	0.0444	08/22/19	J AOAC 2015 V98-6	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Potency per 0.71g		Batch: 1907581						
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes	
CBD per 0.71g	47.4		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
CBD-A per 0.71g	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
CBD-Total per 0.71g	47.4		mg/0.71g	0.0444	08/22/19	J AOAC 2015 V98-6		
CBDV per 0.71g†	0.0987		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
CBDV-A per 0.71g†	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
CBDV-Total per 0.71g†	0.0987		mg/0.71g	0.0442	08/22/19	J AOAC 2015 V98-6		
CBG per 0.71g†	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
CBG-A per 0.71g†	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
CBG-Total per 0.71g†	< LOQ		mg/0.71g	0.0444	08/22/19	J AOAC 2015 V98-6		
CBL per 0.71g†	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
CBN per 0.71g	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
Δ8-THC per 0.71g†	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
Δ9-THC per 0.71g	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
THC-A per 0.71g	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
THC-Total per 0.71g	< LOQ		mg/0.71g	0.0444	08/22/19	J AOAC 2015 V98-6		
THCV per 0.71g†	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
THCV-A per 0.71g†	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6		
THCV-Total per 0.71g†	< LOQ		mg/0.71g	0.0442	08/22/19	J AOAC 2015 V98-6		

Microbiology								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Aerobic Plate Count	< LOQ		cfu/g	10	1907416	08/18/19	AOAC 990.12 (Petrifilm)	X
E.coli	< LOQ		cfu/g	10	1907408	08/18/19	AOAC 991.14 (Petrifilm)	X
Total Coliforms	< LOQ		cfu/g	10	1907408	08/18/19	AOAC 991.14 (Petrifilm)	X
Mold	< LOQ		cfu/g	10	1907414	08/18/19	AOAC 2014.05 (RAPID)	X
Yeast	< LOQ		cfu/g	10	1907414	08/18/19	AOAC 2014.05 (RAPID)	X
Salmonella spp.	Negative		/10g		1907380	08/17/19	AOAC 2016.01	X



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Solvents					Method EPA5021A	Units µg/g	Batch 1907450	Analyze 08/19/19 05:29 PM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	0.000	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass	
Methylpropane	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass	



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Pesticides											Method AOAC 2007.01 & EN 15662 (mod)					Units mg/kg		Batch 1907483		Analyze 08/20/19 11:48 AM				
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes							
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass														
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass														
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass														
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass														
Boscalid	< LOQ	0.40	0.100	pass		Carbaryl	< LOQ	0.20	0.100	pass														
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass														
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass														
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin (incl.	< LOQ	1.0	0.500	pass														
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass														
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass														
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass														
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass														
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass														
Fipronil	< LOQ	0.40	0.200	pass		Flonicamid	< LOQ	1.0	0.400	pass														
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass														
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass														
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass														
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass														
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass														
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass														
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass														
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass														
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass														
Prallethrin	< LOQ	0.20	0.100	pass		Propiconazole	< LOQ	0.40	0.200	pass														
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass														
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass														
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass														
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass														
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass														
Trifloxystrobin	< LOQ	0.20	0.100	pass																				



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Mycotoxins								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Aflatoxin B1 [†]	< LOQ		µg/kg	5.00	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Aflatoxin B2 [†]	< LOQ		µg/kg	5.00	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Aflatoxin G1 [†]	< LOQ		µg/kg	5.00	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Aflatoxin G2 [†]	< LOQ		µg/kg	5.00	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Deoxynivalenol [†]	< LOQ		µg/kg	200	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Fumonisin B1 [†]	< LOQ		µg/kg	200	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Fumonisin B2 [†]	< LOQ		µg/kg	400	1907480	08/20/19	AOAC 2007.01 & EN 15662	
HT2-Toxin [†]	< LOQ		µg/kg	40.0	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Nivalenol [†]	< LOQ		µg/kg	400	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Ochratoxin A [†]	< LOQ		µg/kg	5.00	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Ochratoxin B [†]	< LOQ		µg/kg	2.00	1907480	08/20/19	AOAC 2007.01 & EN 15662	
T2-Toxin [†]	< LOQ		µg/kg	20.0	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Zearalenone [†]	< LOQ		µg/kg	200	1907480	08/20/19	AOAC 2007.01 & EN 15662	



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

cfu/g = Colony forming units per gram

g = Gram

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/0.71g = Milligram per 0.71g

/10g = Per 10 grams

% = Percentage of sample

% wt = µg/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager